
 <p>बाह्य रुग्णविभागक्र. ६६, सर्वोपचाररुग्णालय आवार, सांगली. ४१६ ४१६. E-mail: dtomhsng@rntcp.org</p>	<p>महाराष्ट्र शासन, आरोग्य सेवा</p> <p>जिल्हा क्षयरोग केंद्र, सांगली</p>	 <p>जि.क्ष.अधि. : २३७४६५५ कार्यालय : २३२२८६७ फॅक्स : २३२२८६७</p>
<p>जा.क्र./जि.क्ष.केंद्र/सांगली/Lab Material//२०२३/७६८/</p>		<p>दिनांक : २१/०७/२०२३.</p>

आरोग्य सेवा जाहिर नोटीस

दर मागणी पत्र

प्रति,

.....


विषय-जिल्हा क्षयरोग केंद्र, सांगली करिता Lab Material पुरवठा करणे बाबत दरपत्रक मागणी.....

उपरोक्त विषयास अनुसरून सुधारित राष्ट्रीय क्षयरोग नियंत्रण कार्यक्रम, सांगली अंतर्गत सांगली जिल्ह्यातील प्रमाणित सुक्ष्मदर्शकेंद्र व CBNAAT site करिता आवश्यक प्रयोगशाळा साहित्य पुरवठाकरणे करिता सन २०२३-२४ च्या मंजूर कृती अराखडयामध्ये 73.3 Lab Material या शिर्षकांतर्गत lab material पुरवठाकरणे बाबत आपणां कडून दरपत्रके मागविणेत येत आहेत. सदर दरपत्रके बंद लखोट्यातून दिनांक-२५/०७/२०२३ रोजी सांय ५.०० वाजेपर्यंत मा. जिल्हा क्षयरोग अधिकारी सांगली यांचे नावे जिल्हा क्षयरोग केंद्र, न्यु आय एच आर बिल्डींग प.व.पा.शा.रुग्णालय आवार, सांगली येथे स्विकारणेत येतील. दरपत्रक मंजूरीचे अंतिम अधिकार मा. जिल्हा क्षयरोग अधिकारी सांगली यांना राहतील.

Lab material पुरवठ्याबाबत खालील तपशीला प्रमाणे दर पत्रकमागविणेत येत आहेत.

(FMR Code – 6.2.14.1 Lab Material)		Required Qty. No.	Quoted Rates Per Item with <u>all</u> <u>Taxes</u>	Unit
Sr. no	Lab material			
1	● Detailed item wise Schedule Attached to this Letter			

- ❖ सदरचे दर हे सर्व करासहित एकत्रित असावेत व साहित्य दर दिलेल्या परिमाण मध्ये(Quantity) व सर्व वस्तुंचे (Item) चे असावेत अन्यथा दरपत्रक नामंजूर करण्यात येईल.सदरचे दर हे साहित्य जिल्हा क्षयरोग केंद्र येथे पोहोच करण्याचे असावेत. अतिरिक्त कोणताही आकार देण्यात येणार नाहीत.
- ❖ स्थानिक स्तरावरील पुरवठादाराना प्राधान्य देण्यात येईल.
- ❖ दरपत्रक नामंजूर झाल्याचे कोणतेही कारण व दरपत्रक उघडण्याची तारीख या कार्यालयाकडून कळविले जाणार नाही.
- ❖ सदर साहित्यांची खरेदी आवश्यकते नुसार करण्यात येईल.
- ❖ सोबत जोडलेल्या यादीतील सर्व वस्तुंचा पुरवठा करणाऱ्या पुरवठादारांचे दरपत्रक ग्राह्य धरण्यात येईल.
- ❖ सदर दर हे जिल्हा क्षयरोग केंद्र,सांगली न्यु आय. एच.आर बिल्डींग ,प.व.पा.शासकिय रुग्णालय,सांगली येथे पोहोचसह द्यावेत.


(डॉ. संतोष उ. राचोतकर)
जिल्हा क्षयरोग अधिकारी,
सांगली.

Sr. No.	Name of Item	Specification	Packing	Name of Company	Quantity	Rate of quantity
1	Methylated spirit	1. Chemical name: Ethanol denatured + 5% Isopropyl alcohol + 5% Methanol 2. Molecular structure: C ₂ H ₅ OH 3. Molecular wt: 46.07 4. Purity: 90%	1 x 500 ml	Merck	1 Bottles	
2	Phenol Crystal for stain (Carbolic acid)	1. The chemical name : Phenol 2. The chemical structure C ₆ H ₅ OH 3. Molecular Wt. 94.11 4. Melting point 400C+25. 5. Purity 99.5% 6. Pl note .The critical concentration of Phenol on Carbol fuchsin is 5% 7. Phenol is highly corrosive, handle with extreme care.	1 X 500 Gm	Merck	1 Bottles	
3	Crystal phenol for disposable	Chemical name Carbolic acid Detached crystals	1 x 500 gm		1 Bottles	
4	Methylene blue powder	1. The chemical name: Methylene chloride 2. The chemical structure: C ₁₆ H ₁₈ Cl N ₃ S 3. Molecular Wt. 319.9 4. Dye content should be available on the container. Approximately 82%, actual amount = 1gms(.required amount= 1/0.82 = 1.22gms)	1 x 25 gm	Merck	1 Bottles	
5	Carbol Basic Fuchsin Powder	Chem. Name Pararosaniline HCl C ₂₀ H ₂₀ ClN ₃ Mol.wt 337.86 Dye content appo. 85%-88%	1x 100 gm	Merck	1 Bottles	
6	Conc.Sulphuric Acid	Chemical formula: H ₂ SO ₄ , Mol. Wt: 98.08, Specific Gravity 1.84 Minimum Assay: 98%	1x 5 litl	Qualegen	1 Can	
7	Sodium Hypochlorite	Sodium Hypochlorite solution, Concentration 5%,	1 x 5 lit		1 Can	
8	Immersion oil / Liq. Paraffine	Refractive Index closer to that of glass or 1.48, colourless, odorless, transparent, Free from Fluorescence in day light with Relative Density of 0.827 to 0.890, Viscosity of 110 to 230mPas, Specific gravity of 0.76 to 0.78 at 15.50C Immersion oil supplied by the manufacturer of microscope with refractive index closer to that of Glass or 1.515 OR Liquid paraffin (heavy), refractive index of 1.48, colourless, odourless, transparent, free from fluorescence in day light with relative density of 0.827 to 0.890, viscosity of 110 to 230 m Pa s., specific gravity of 0.76-0.78 at 15.5°C.	1 x 50 ml	Qualegen	1 Bottles	

9	Silica Gel	(Fischer scientific Silica gel 1 X 100 gm) Dry and desiccant silica gel crystals have dehumidifying properties. These are not for food grade items Blue colour of the crystals fades and turns transparent upon absorbing atmospheric moisture. To reuse, heat the transparent crystals till the blue colour is not restored.	1 X 500 Gm	Qualegen	1 nos	
10	Auramine – O powder	Auramine O: Auramine hydrochloride; (1,1-bis(p-dimethyl aminophenyl) methylenimine hydrochloride) Formula: $C_{17}H_{21}N_3HCl \cdot H_2O$ Mol Wt. 321.85 Appearance: Yellow to brown powder Potency (Dye content): approximately 85.0% Absorbance: 435nm Auramine O is a yellow fluorescent dye; very soluble in water, soluble in ethanol; used to stain acid-fast bacteria in sputum or in paraffin sections of infected tissue	1 x 50 gm	Merck	1 nos	
11	Potassium Permanganate:	Formula: $KMnO_4$ Mol Wt. 158.04 Potency: >99% Appearance: Purple solid, dissolves in water to give deep purple solutions. Analytical grade (99% $KMnO_4$); MW 158.04 g/mol; decomposition >240 °C (sold in 500 g bottles). (Note: potassium permanganate is a strong oxidant; it can be replaced by methylene blue or diluted blue ink.)	1X500 gms	Merck	1 nos	
12	Hydrochloric Acid	Chemical name- Concentrated Hydrochloric Acid, Chemical formula- HCl , Mol Wt: 36.46, Specific Gravity 1.18	1X500 ml	Qualegen	1 Bottles	
13	Ethanol	Chemical Formula: C_2H_5OH , clear, Ethanol-ethyl alcohol colorless liquid and the principle ingredient in Lab reagent .	1X500 ml		1 Bottles	
14	Spirit	Spirit violet colored for lab use	1x500 ml		1 nos	
15	Distilled water		1 x 5 Lit		1 Can	
16	Lense cleaning paper	Soft, lint-free tissue; approximately 80 mm x 100 mm (sold in blocks of 50 sheets with 10 blocks per pack).	50 sheet x 1pkt		1 pkt	
17	Foot Operated Bin	10 litres with lid, made up of plastic, foot operated	1 No		1 Nos	
18	Tissue paper Roll	1 X 20 mtr for lab use	1 Roll		1 Roll	
19	Whatman Filter paper	Filter paper sheet, 580 x 580 mm (approx.), weight approx. 87g/sq. m, packaging of 100 sheets (Whatman No – 1)	100 circles/pkt		1 pkt	

20	Diamond Marker	6" holder with artificial diamond (hard stone) embedded at one end with screw cap to mark on microscope glass slides.	1 No		1 nos	
21	Broom stick	Material : Bamboo stick, Dry ,Size:- 20cm length X 3mm Width , easily breakable, without powder (1 x 100 No)	100Sticks/1 bundle.		1 Bundle	
22	Spirit lamp	Lamps made of stainless steel; volume approximately 85 ml; dimensions approximately 100 mm (diameter) and 65 mm (height); with a wick (cotton wool or metal wire), a method of wick adjustment and a cap.	1 No		1 nos	
23	Electronic Weighing Balance	a. General purpose table top laboratory balance, 220-230V, stainless steel platform, keypad auto calibration. Capacity 10 mg-100gm	1 No		1 No.	
24	Parafim Tape 250Fit	Laboratory film for flexible packegining. For use at -40 °C to 50 °C; 100 mm wide × 58 m long; with dispenser.	1 Roll		1 Roll	
25	Hand Sanitizer (Sterillium)	5 liter can	1 x 5 lit can		1 Can	
26	Disposable l Golves	Powder-free, latex-free disposable gloves made of vinyl (clear) or nitrile (blue); rated as CE category III (for complex risks) and with a textured surface for slip resistance; ≥0.3 mm thick and ≥240 mm long; stocked in sizes (small, medium and large) appropriate for the laboratory staff (sold in boxes, with 100 gloves per box).	1 Box		1 Box	
27	Slide Box Plastic	100 slides bracket x 1 Box	1 No		1 No.	
28	Cotton bundle Absorbent	Absorbent, each roll of 0.5 kg.500 gm	1 Roll		1 No.	
29	Ice Gel Pack (100gm)	100gm	1 No		1 No	
30	Ice Gel Pack(200gm)	200gm	1 No		1 No.	

31	Water bath	STAINLESS STEEL INSULATED DOUBLE WALLED INNER WALL OF STAINLESS STEEL .THERMOSTATIC TEMP CONTROL FROM AMBIENT TO 85 -90 °C 0.5°COMPLATE WITH IMMERSION HEATER, ALLUMINIUM ON SS COVER BRASS DRAIN COCK 220 TO 240 VOLTS AC 50HZDIMENSIONS OUTSIDE (OPIROX 36X41X25 CMS)INSIDE APPROXIMAL (37X13X15 CMS) POWER –OPP480 W DIGITAL MICRO PROCESSOR DISPLAY TO SET TEM TEMP POINT PREUENTING THERMAL RUN AWALY SEAMLESS	1 No		1 No.	
32	Zip lock bag 5x7	plastic bag with size 5X7	1 No		--	
33	Brown tape	2 inch or 50mm x 45 metres, Self Adhesive Brown Packing tape : Brown Tape (Manual) Brown, Transparent) : Brown color bopp tape for any industrial application adhesive use, Courier service provider, book and application adhesive purpose use.	1 No		1 Roll	
34	Disposable Hand Gloves (Plastic)	Powder-free, latex-free disposable gloves made of vinyl (clear) or nitrile (blue); rated as CE category III (for complex risks) and with a textured surface for slip resistance; ≥0.3 mm thick and ≥240 mm long; stocked in sizes (small, medium and large) appropriate for the laboratory staff (sold in boxes, with 100 gloves per box). 1X100(Plastic)	1 pkt -100 Gloves		1 Box	
35	Disposable Hand Gloves (Rubber)	Disposable; rated as CE category III (against chemical risks and resistant to ethidium bromide, sulfuric acid or auramine staining); ≥0.36 mm thick.1 x 25 (Rubber) (size 7–8)	1 pkt - 25Gloves		1 Box	
36	Measuring Cylinders	500 ml (Plastic)	1 No		1 No	
37	Digital Timer	Features to include spring-driven motor, 0–60-minute timer and a disinfectable plastic housing. Timers to have a sound (e.g. buzzer or bell) to signal time elapsed, a stand and a clip to attach them to laboratory gowns.....	1 No		1 No.	
38	Staining Plastic bottle with nozzle	Polyethylene flasks with a narrow neck; with a screw cap, swan neck or jet dispenser; volume required 500 ml will depend on the number of slides stained per day	1 no		1 No.	
39	Measuring cylinders	Made of borosilicate glass 3.3 class A; autoclavable; 500ml graduated.	1 No	Borosil	1 No.	

40	Conical flask 1 lit	Made of borosilicate glass 3.3; thick walls and narrow mouth; graduated.(1 lit)	1 No	Borosil	1 No	
41	Reagent bottle	Bottles of 1 litre; made of amber borosilicate glass; GL45 thread and cap; compliant with ISO 4746 (Oxygen-free copper – scale adhesion test).	1 No		1 no.	
42	Sputum container with label	Air tight screw-top Caped, translucent, of thin plastic Capacity 35 ml	1x 100 No (1 Pkt)		1 pkt	
43	Micro glass slide	Size: 76 mm x 26 mm, Thickness 1.3 mm, plain edges polished	1x 50 No (1 Pkt)	BLUE STAR	1 pkt	
44	Falcon Tubes	(Capacity 50ML), Sterile Autoclavable, Leak Proof, Conical Bottom	1x 50 No (1 Pkt)	Hi Media	2000pkt	
45	Thermocol Box	(one peace thermocol molded boxes)Thickness layer 3-5 cm (Length 28 cm x Width 15cm x height 20cm)	1 No		1 no.	
46	Adhesive labels	1 X 2.5 cm x 1000 No	1 Pkt		1 pkt	
47	Oxalic Acid 5%	Chemical formula; COOHCOOH.2H2O; Mol Wt:126.07 ; purity 99.8%	1x 500 ml		1Bottle	
48	10 X Eye piece	Labomed	pair	Labomed	1 Pair	
49	N 95 Mask	95% filter efficiency level Effectave against particulate aerosoals, free of oil	1x 100 nos	Magnum medicare pvt.ltd	1 Box	
50	Slide staining rod	Steell rod , uncorrosive 1.5 feet	pair		1 pair	
51	Graduated Glass Beaker	500 ml Borosil glass	1 no	Borosil	1 No	
52	Disposable face mask	Ttriple layer with nose strip ear loop 3 ply	1 x 100 no		1 No.	
53	Biohazards disposable bags (50 Micron)	Medium size plastic bag with red and yellow colour	1 kg		1 kg	
54	Microscope bulb	6 v/20 watt PHILIPS	1	Philips	1 nos	
55	Wooden slide box	100 slides bracket x 1 Box	1		1 NoS	
56	Liquid HAND Wash	lifeboy	1 Lit		1 NoS	
57	Plasting Can 1 liter	-	1 No		1 Can	
58	Conical flask 100 ml	100 ml Borosil glass	1 No	Borosil	1 Nos	
59	Gratuated Glass pipette with rubber tit	10 ml capacity, Borosil glass	1 No	Borosil	1 Nos	
60	Slide drying tray	-	1 No		1 Nos	

61	Thermameter	Glass thermameter	1 No		1 Nos	
62	Disposable appron	Plastic appron	1 No		1 Nos	
63	Filter papre sheet	-			1 sheet	
64	Slide staining rack	-	1 No.		1 No.	
65	Glass funnel 4 inch	-	1 No.	Borosil	1 No.	
66	Plastic funnel 8 inch	-			1 No.	

Shaluf

(डॉ. संतोष उ. राचोतकर)
जिल्हा क्षयरोग अधिकारी,
सांगली.